

:PRESENTATION:

Direct acting S.V. for interception of fluids compatible with the construction materials.

Minimum operational pressure is not required. The materials used and the tests carried out ensure maximum reliability and duration.

USE:	Hot water Steam (180°C)
PIPES:	G 1/4
	014/ 0140


COIL HOUSING AND COIL FORMER MATERIAL ARE								
	BDV	180°C	(class H)					
	BDA - BSA	155°C	(class F)					
COILS:	800 - 013							

MADE BY 100% VIRGIN MATERIAL. Max. allowable pressure (PS) 25 bar

Ambient temperature: See coils catalogue page for its compatibility.




Gaskets	Temperature		Medium
T =PTFE (polytetrafluorethylen)	- 40°C	+180°C	Steam, water
R =RUBY	- 40°C	+180°C	Steam, water




For seals other than PTFE replace the letter "T" with the ones corresponding to the other seals. E.I. 21A16KR25.

Pipe ISO 228/1 Code		Max viscosity		Ø	Κv	Power	Pressure		
	Code						min	M.O	.P.D.
		cSt	°E	mm	l/mn	watt	bar	AC bar	DC bar
G 1/4	21A16K T 25	-	-	2,5	3,2	8	0	14	5

The "ODE " reserves the right to carry out technical and aesthetic modifications without prior notice.



DIMENSIONS



	POWER ABSORPTION				DIMENSIONS			
COIL TYPE	W 	Hold VA ~	Inrush VA ~	D mm	E mm	F mm		
В	8	14,5	25	30	42	54		